



ARENA GROOMER®
SUGARBEET EQUIPMENT
TILLAGE EQUIPMENT
FORAGE BOXES/TRAILERS
COMPOST/MANURE SPREADERS
WATER & WASTE PUMPS

Rollaharrow-Rigid Frame Seed Bed Tillage



18' 4-BAR with 20" RING ROLLERS & 20" PIPE ROLLERS



- Heavy 2-3/16" Stub Shafts
- Domestic Bearings-Quad Seals
- Multiple Ring or Pipe Options
- Available Hydraulic Tine Controls
- 12' to 24' sizes to fit your needs
- Four Tires on 12'-24' Models
- Grain Drill Hitch Available
- Tongue allows Tight Turning Radius





GRAINDRILL HITCH



EXTEND REAR ROLLER FOR EXTRA COVERAGE



LEVELING BAR AHEAD OF REAR ROLLER

- 12-17 and 14-20 Rings
- Pipe Rollers in 16 and 20"
- 20" Crowfoot Rollers
- Split Front Roller 18'-24'
- 4 S-Tine Bars for excellent tillage
- Models to fit your horsepower
- 7-10 horsepower per foot
- Leveling Bar controlled with re-phrasing cylinders
- Heavy Tubing Frame for years of service
- Wheels forward for ease of lifting during turn-a-round
- Extended Rear Roller Option



HEAVY TUBE FRAME AND TONGUE

PARMA
COMPANY



GRAINDRILL HITCH



HEAVY DUTY WING LIFT CYLINDERS



LAST TINE BAR BEHIND THE WHEELS

- 12-17, 14-20, and 16-22 Rings
- Pipe Rollers in 16, 20 and 22"
- Domestic Bearings-Quad Seals
- Three hinge points on wing fold
- Models to fit your horsepower
- 7-10 horsepower per foot
- Leveling Bar controlled with re-phrasing cylinders
- Heavy Tubing Frame for years of service
- Wheels forward for ease of lifting during turn-a-round
- Overlapping Front & Rear Rollers



HEAVY TUBE TONGUE



Rollaharrow-Folding Frame Seed Bed Tillage



- Heavy 2-3/16" Stub Shafts
- Multiple Ring or Pipe Options
- Available Hydraulic Tine Controls
- Six Tires on 24-30' Models
- Eight Tires on 32-40' Models
- 24' to 40' sizes to fit your needs
- Grain Drill Hitch Available
- Tongue allows Tight Turning Radius

