

Parma Sugarbeet Defoliator - Triple Drum

100 Series

Effective: September 1, 2023

Standard Equipment

- Steel Cup Flails on Front Drums (Full Coverage on #1 Rotor)
- Rubber Flails on 2nd and 3rd Drums
- Optional Replaceable Rotor Shafts
- Heavy Duty Gearbox and Drives
- All Banded V-Belt Drives
- **Tractor Requirements**: 90 HP Min. w/4 Remotes
- Easy Height Adjustment
- > 15" or 24" Rear Wheels (Steerable or Non-Steer)
- Drawbar Adjustment33117210@clyhidder
- Convenient Parking Stands
- Removable Large Vinyl Top Cover
- Caution Light Kit
- > HMW Defoliator Liner Shield Over Steel

Order Number	Description	List Price
	Base Unit	
1282520	Model 132 (4-30) Defoliator with "Cup" Flails & Solid Rotor Shafts	\$51,957.00
1282348	Model 132 (6-22) Defoliator with "Cup" Flails & Solid Rotor Shafts	\$53,097.00
1282349	Model 132 (6-22) Defoliator with "Cup" Flails & Replaceable Rotor Shafts	\$58,257.00
1282260	Model 144 (6-24) Defoliator with "Cup" Flails & Solid Rotor Shafts	\$55,103.00
1282259	Model 144 (6-24) Defoliator with "Cup" Flails & Replaceable Rotor Shafts	\$59,428.00
1282227	Model 180 (8-22) Defoliator with "Cup" Flails & Solid Rotor Shafts	\$68,634.00
1282240	Model 180 (8-22) Defoliator with "Cup" Flails & Replaceable Rotor Shafts	\$75,160.00
1282256	Model 180 (6-30) Defoliator with "Cup" Flails & Solid Rotor Shafts	\$66,987.00
1282255	Model 180 (6-30) Defoliator with "Cup" Flails & Replaceable Rotor Shafts	\$75,489.00
1282534	Model 194 (8-24) Defoliator with "Cup" Flails & Solid Rotor Shafts	\$76,266.00
Complet	ing Packages - Order one item from each section for a complete defoliator	
	Rear Wheel Strut Assemblies: (Steerable are Return to Straight)	
1282187	24"Non-Steerable, 22"-30" Rows ** (Height Adjustable, Two Struts)	\$8,340.00
1282099	24" Steerable, 22-30" Rows Rtn to Str** (Height Adjustable, Two Struts)	\$14,754.00
1282524	24" Steerable 4-30" Rows Rtn to Str (Height Adjustable, Two Struts)	\$14,754.00
1282099	24" Steerable 8-24" Rows Rtn to Str (Height Adjustable, Two Struts)	\$14,754.00

** Offset Struts Not Available for 24" Rear Wheels



PARMA <u>Company</u>

Parma Sugarbeet Defoliator - Triple Drum

Effective: September 1, 2023

100 Series

	PTO Driveline Assembly	
1990809	Standard PTO w/ 1-3/8 21-Spline Yoke	\$1,159.00
1991060	Standard PTO w/ 1-3/4 20-Spline Yoke	\$1,124.00
1281372	CV PTO w/ 1-3/8 21-Spline Yoke	\$1,975.00
1991061	CV PTO w/ 1-3/4 20-Spline Yoke	\$1,916.00
	Optional Equipment	
alper Option	s - Must Order Tool Bar Assembly and Head Assembly Group	
1282532	Scalper Tool Bar Assembly, Model 132 4-30" (Used with 24" Wheels)	\$2,716.00
1282352	Scalper Tool Bar Assembly, Model 132 (Used with 24" Rear Wheels)	\$2,716.00
1282269	Scalper Tool Bar Assembly, Model 144 (Used with 24" Rear Wheels)	\$2,733.00
1282271	Scalper Tool Bar Assembly, Model 180 (Used with 24" Rear Wheels)	\$3,250.00
1282559	Scalper Tool Bar Assemby, Model 194 8-24" (Used with 24" Wheels)	\$3,520.00
1282273	Head Assembly Group, Ground Driven Scalper (8-Row)	\$9,142.00
1282274	Head Assembly Group, Ground Driven Scalper (6-Row) Introduced Sept. 2003	\$6,854.00
1282277	Head Assembly Group, Hydraulic Scalper (8-row)	\$17,772.00
1282278	Head Assembly Group, Hydraulic Scalper (6-Row)	\$13,328.00
1282275	Knife Scalper Assembly Group (8-Row)	\$7,168.00
1282276	Knife Scalper Assembly Group (6-Row)	\$5,382.00
her Options		
1281885	Rubber Flail Addition Kit for #2 & #3 Rotors (per Row/Rotor Add-on)	\$140.00
1281999	Hitch Extension Kit (RRV To Position Tongue Higher or Lower)	\$339.00
1282210	SMV Emblem Assembly	\$57.00
	See Assembly Package Sheet SBD-06 for factory assembling options	



Parma Sugarbeet Defoliator - Triple Drum 200 Series

Effective: September 1, 2023

Standard Equipment

- Steel Cup Flails on Front Drums
- Rubber Flails on 2nd and 3rd Drums
- Heavy Duty Gearbox and Drives
- All Banded V-Belt Drives
- Steerable or Non-Steerable Wheel Struts
- **Tractor Requirements:** 200HP Min. & 4 Remotes
- > Easy Height Adjustment
- Drawbar Adjustment 3 1/2 x 10 cylinder
- Convenient Parking Jack Stand
- Removable Large Vinyl Top Cover
- Caution Light Kit
- > HMW Defoliator Liner Shield Over Steel

Order Number	Description Wt 13200	List Price
	Base Unit	
	Model 240 (8-30) Defoliator with "Cup" Flails & Solid Rotor Shafts	\$79,475.00
1282188	Model 264 (12-22) Defoliator with "Cup" Flails & Solid Rotor Shafts	\$80,658.00
1282172	Model 264 (12-22) Defoliator with "Cup" Flails & Replaceable Rotor Shafts	\$88,893.00
1282609	Model 264 (12-22) Defoliator Over Row "Cup" Flails & Solid Rotor Shafts	\$77,652.00
1282625	Model 288 (12-24) Defoliator with "Cup" Flails & Solid Rotor Shafts	\$87,864.00
Complet	ing Packages - Order one item from each section for a complete defoliator	
	Rear Wheel Strut Assemblies (Steerable are Return to Straight)	
1282187	24" Non-Steerable, 22" Rows (Height Adjustable, Two Struts)	\$8,340.00
1282484	24" Non-Steerable, 44" Wide Bottom (22" Rows) (Height Adjustable, Two Struts)	\$9,289.00
1282099	24" Steerable, 22" Rows (Height Adjustable, Two Struts)	\$14,754.00
	24" Steerable 8-30" (Height Adjustable, Two Struts)	\$15,707.00
	PTO Driveline Assembly	
1282946	Standard PTO w/ 1-3/4 20-Spline Yoke	\$1,316.00
1282344	Standard PTO w/ 1-3/8 21-Spline Yoke	\$1,400.00
1282510	CV PTO w/ 1-3/4 20-Spline Yoke	\$2,584.00
1282511	CV PTO w/ 1-3/8 21-Spline Yoke	\$2,600.00
Order	the Following Longer Drivelines when ordering the Heavy Duty Swing type Tongue.	
1991096	Standard PTO w/ 1-3/4 20-Spline Yoke	\$1,328.00
1268451	CV PTO w/ 1-3/4 20-Spline Yoke	\$2,612.00
	Optional Equipment	
calper Options	- Must Order Tool Bar Assembly and Head Assembly Group	
	Scalper Tool Bar Assembly For 24" Rear Wheels (8 Row 30")	\$5,065.00
1282176	Scalper Tool Bar Assembly For 24" Rear Wheels (12 Row 22")	\$5,116.00
	Scalper Tool Bar Assembly For 24" Wheels (12 Row 24")	\$5,522.00
1282273	Head Assembly Group, Ground Driven Scalper 8 Row	\$9,142.00
1282175	Head Assembly Group, Ground Driven Scalper 12 Row	\$13,713.00
1282136	Head Assembly Group, Hydraulic Scalper 12 Row	\$25,977.00
1282181	Knife Scalper Assembly Group 12 Row	\$10,702.00

See next page for other options.

SBD-03



Parma Sugarbeet Defoliator - Triple Drum

Effective: September 1, 2023

200 Series

Other Options		
1282479	Heavy Duty Swing Tongue (tongue cyl. not incl'd) Add-on	\$5,139.00
1267149	Tongue Cylinder Kit - Includes 3 1/2 x 8 Cyl., Hoses & Tips	\$773.00
1281864	Front Stabilizer Wheels - Adjustable with Screw Jack	\$2,950.00
	(Must be used in conjunction with front lift cylinder)	
1281709	Front Stabilizer Wheels w/ Hydraulic Cylinder	\$3,771.00
	(Must be used in conjunction with Scalper Hydraulic Lift.)	
1282485	Extra Rubber Flail Kit #2 Rotor (2nd Drum same as 3rd) (per Row/Rotor Add-on)	\$68.00
1281999	Hitch Extension Kit (RRV to Position Tongue Higher or Lower)	\$339.00
1282210	SMV Emblem Assembly	\$57.00
282514	Center Strut, 24" non STR on 44" spacing	\$6,363.00
	(Includes wheels, tires, hubs and spindles)	

See Assembly Package Sheet SBD-06 for factory assembling options

PARMA Company

Parma Sugarbeet Defoliator

Effective: September 1, 2023

List Price

Assembly Packages - All Defoliators

These prices are the charges for assembly by Parma Company of options and attachments. The dealer service department is responsible for pre-delivery and field adjustments.

lumber Description	
hand an Article Articl	
N	

-			
Scal	ner	Assem	hlv
oca	pur	ASSCIII	DIY

Order N

Scalper Assembly		
1281643	Mounted on Defoliator (Knife Scalper and Unpowered Disk) - per Row	\$128.00
1281644	Mounted on Defoliator (Hydraulic Scalper) - per Row	\$251.00

Hydraulic Hose Packages

- Includes One 1/2 " Hose from Implement to Tractor with Ends, and one 8010-4 Pioneer Cou	pler.
---	-------

1281652	8' Hydraulic Hose Package	\$146.00
1281653	10' Hydraulic Hose Package (8 = \$1288)	\$161.00
1281654	12' Hydraulic Hose Assembly	\$182.00

- Order 4 each when ordering a standard defoliator

- Order 8 each when ordering a defoliator with a 2-way Return to Straight option

Shipping Dimensions

Front to Rear w/Tongue and Scalper Removed 15' 2" w/Tongue Removed and Scalper Mounted 19' 3"

Front to Rear w/Tongue & Struts Removed (Frame Only) 11' 10" Overall Length w/Tongue Removed Scalper Mounted 23' 3"

Side to Side

Model 132	13' 2"	7100#
Model 144	14' 2"	8360#
Model 180	17' 2"	9100#
Model 264	24'	13200#

Weight of the Model 264 with 24" Steerable Struts and Ground Driven Scalpers = 13,200 lbs.

SBD-05



PARMA COMPANY

Flail Cluster Information

Effective September 1, 2023

132 N	lodel Defoliator	
Order No.	Description	Quantity
281789	Front Steel Cup Rotor Asm (Fu	III Coverage)
282199	7-1/2 Steel Cup Flails - 5/16"	67
281785	Bushing, Hardened - 10-3/4"	34
281788	Long Pipe Spacer - 3-5/16"	57
281977	Short Pipe Spacer - 1-11/16"	22
281786	5/8x13 Hex Bolt w/Locknut	34
281722	8" Half Clamp	24
281966	Rotor Weldment	1
281581	Center Rubber Cluster	
280520	Rubber Flail	12
990588	2: Spacer	12
281558	Flail Pin	4
281477	6" Half Clamp	4
281885	(Optional) Flail Addition Kit Center Ru	ubber
281520	Rubber Flail	8
281560	Extended Flail Pin	2
282641	Rear Rubber Cluster	-
281520	Rubber Flail	22
281558	Flail Pin	4
281477	6" Half Clamp	4
281574	1" Spacer	4
281885	(Optional) Flail Addition Kit Rear Rub	ber
281520	Flail Pin	8
281560	Extended Flail Pin	2
004000	Front L. Kalla Doton April (Full	
281963 281569	Front L Knife Rotor Asm (Full	
261569	5/8x3-1/2 Gr8 Hex Bolt w/Locknut	72 36
281965	Rotor Weldment	30
		•
281581	Center Rubber Cluster (Same As	
281885	(Optional) Flail Addition Kit Center Rubber (Sa	-
282641	Rear Rubber Cluster (Same As Ab	oove)
281885	(Optional) Flail Addition Kit Rear Rubber (Sam	e As Above)



Flail Cluste	er Information	Effective: September 1 2023
144 Mod	el Defoliator	
Order No.	Description	Quantity
Front Ste	el Cup Rotor Asm (Full Coverage)	
282199	7-1/2 Steel Cup Flails - 5/16"	96
281785	Bushing, Hardened - 10-3/4"	24
282083	Pipe Spacer - 5/8"	96
281786	5/8 x 13 Hex Bolt w/Locknut	24
281722	8" Half Clamp	26
281958	One Piece Front Rotor Drum	1
Front L k	(nite Deter Asm (Full Coverage)	
281569	Knife Rotor Asm (Full Coverage)	84
201009	5/8 x 3-1/2 Gr8 Hex Bolt w/Locknut	42
281965	One Piece Front Rotor Drum	42
		1
	el Defoliator	
Order No.	Description	Quantity
	el Cup Rotor Asm (Full Coverage)	
282199	7-1/2 Steel Cup Flails - 5/16"	120
281785	Bushing, Hardened - 10-3/4"	28
282084	Bushing, Hardened - 5-3/8"	4
281786	5/8 x 13 Hex Bolt w/Locknut	28
282085	5/8 x 7-1/2 Hex Bolt w/Locknut	4
282086	5/8 x 12-1/4 Hex Bolt w/Locknut	4
281722 291972 Driver 291972 Driver	8" Half Clamp	36 1ea.
281873 Driver, 281872 Driven	8" Rotor Assembly (Split) Center Rubber Cluster	IEd.
281581 280520	Rubber Flail	12
990588	2" Spacer	12
281558	Flail Pin	4
281477	6" Half Clamp	4
281885	(Optional) Flail Addition Kit Center I	
281520	Rubber Flail	8
281560	Extended Flail Pin	2
282641	Rear Rubber Cluster	
281520	Rubber Flail	22
281558	Flail Pin	4
281477	6" Half Clamp	4
281574	1" Spacer	4
281885	(Optional) Flail Addition Kit Rear Ru	bber (Same as C
004500	L Knife Rotor Asm (Full Coverage	
281569	L-Knife Flail	96
291045 Driver 294046 Driver	5/8 x 3-1/2 Gr8 Hex Bolt w/Locknut	48
281945 Driver, 281946 Driven	Rotor Assembly (Split)	1ea.
281885	(Optional) Flail Addition Kit Rear Rubber (Sa	me As Above)



Flail Cluster Information

Effective: September 1, 2023

264 Model Defoliator			
Order No.	Description	Quantity	
Front Steel Cup Rotor Asm (Full Coverage)			
282199	7-1/2 Steel Cup Flails - 5/16"	184	
281785	Bushing, Hardened - 10-3/4"	44	
282084	Bushing, Hardened - 5-3/8"	4	
282083	Pipe Spacer - 5/8"	184	
281786	5/8 x 13 Hex Bolt w/Locknut	44	
282085	5/8 x 7-1/2 Hex Bolt w/Locknut	4	
282086	5/8 x 12-1/4 Hex Bolt w/Locknut	4	
281722	8" Half Clamp	52	
281738 Driver, 281743 Driven	8" Rotor Assembly (Split)	1ea.	
281581 Center Rubber Cluster			
280520	Rubber Flail	12	
990588	2" Spacer	12	
281558	Flail Pin	4	
281477	6" Half Clamp	4	
281885 (Optional) Flail Addition Kit Center Rubber			
281520	Flail Pin	8	
281560	Extended Flail Pin	2	
282641	Rear Rubber Cluster		
281520	Rubber Flail	22	
281558	Flail Pin	4	
281477	6" Half Clamp	4	
281574	1" Spacer	4	
281885	281885 (Optional) Flail Addition Kit Rear Rubber (Same as Center)		
	L Knife Rotor Asm (Full Coverage)	
281569	L-Knife Flail	144	
	5/8 x 3-1/2 Gr8 Hex Bolt w/Locknut	72	
281860 Driver, 281859 Driven	Rotor Assembly (Split)	1ea.	
281581	Center Rubber Cluster (Same As Above)		
281885	(Optional) Flail Addition Kit Center Rubber (Same As Above)		
282641	Rear Rubber Cluster (Same As Above)		
281885	(Optional) Flail Addition Kit Rear Rubber (Same As Above)		



Effective: September 1, 2023

144" Defoliator w/24" Tires & G.D. Scalpers

Weight	8360#
Overall width at guards:	14'2"
Frame depth front to rear:	11'7"
Frame depth to rear of 24" tires:	15'2"
Frame depth to rear of G.D. Scalpers up:	16'8"
Tongue:	4'4"

264" Defoliator w/24" Tires & G.D. Scalpers

Weight	13200#
Overall width at guards:	24'6"
Frame depth front to rear:	11'7"
Frame depth to rear of 24" tires:	15'2"
Frame depth to rear of G.D. Scalpers up:	16'8"