SBD-01



# Parma Sugarbeet Defoliator - Triple Drum

#### 100 Series

Effective:

September 1, 2024

#### **Standard Equipment**

- Steel Cup Flails on Front Drums (Full Coverage on #1 Rotor)
- ➤ Rubber Flails on 2nd and 3rd Drums
- ➤ Optional Replaceable Rotor Shafts
- ➤ Heavy Duty Gearbox and Drives
- ➤ All Banded V-Belt Drives
- ➤ Tractor Requirements: 90 HP Min. w/4 Remotes
- ➤ Easy Height Adjustment
- ➤ 15" or 24" Rear Wheels (Steerable or Non-Steer)
- ➤ Drawbar Adjustment, 3-1/2x10 cylinder
- ➤ Convenient Parking Stands
- ➤ Removable Large Vinyl Top Cover
- Caution Light Kit
- > HMW Defoliator Liner Shield Over Steel

Order Number	Description	List Price
	Base Unit	
1282520	Model 132 (4-30) Defoliator with "Cup" Flails & Solid Rotor Shafts	\$51,957.00
1282348	Model 132 (6-22) Defoliator with "Cup" Flails & Solid Rotor Shafts	\$53,097.00
1282349	Model 132 (6-22) Defoliator with "Cup" Flails & Replaceable Rotor Shafts	\$58,257.00
1282260	Model 144 (6-24) Defoliator with "Cup" Flails & Solid Rotor Shafts	\$55,103.00
1282259	Model 144 (6-24) Defoliator with "Cup" Flails & Replaceable Rotor Shafts	\$59,428.00
1282227	Model 180 (8-22) Defoliator with "Cup" Flails & Solid Rotor Shafts	\$68,634.00
1282240	Model 180 (8-22) Defoliator with "Cup" Flails & Replaceable Rotor Shafts	\$75,160.00
1282256	Model 180 (6-30) Defoliator with "Cup" Flails & Solid Rotor Shafts	\$66,987.00
1282255	Model 180 (6-30) Defoliator with "Cup" Flails & Replaceable Rotor Shafts	\$75,489.00
1282534	Model 194 (8-24) Defoliator with "Cup" Flails & Solid Rotor Shafts	\$76,266.00
Complet	ing Packages - Order one item from each section for a complete defoliator	
	Rear Wheel Strut Assemblies: (Steerable are Return to Straight)	
1282187	24"Non-Steerable, 22"-30" Rows ** (Height Adjustable, Two Struts)	\$8,340.00
1282099	24" Steerable, 22-30" Rows Rtn to Str** (Height Adjustable, Two Struts)	\$14,754.00
1282524	24" Steerable 4-30" Rows Rtn to Str (Height Adjustable, Two Struts)	\$14,754.00
1282099	24" Steerable 8-24" Rows Rtn to Str (Height Adjustable, Two Struts)	\$14,754.00

<sup>\*\*</sup> Offset Struts Not Available for 24" Rear Wheels



## Parma Sugarbeet Defoliator - Triple Drum

Effective:

September 1, 2024

### 100 Series

	PTO Driveline Assembly	
1990809	Standard PTO w/ 1-3/8 21-Spline Yoke	\$1,159.00
1991060	Standard PTO w/ 1-3/4 20-Spline Yoke	\$1,124.00
1281372	CV PTO w/ 1-3/8 21-Spline Yoke	\$1,975.00
1991061	CV PTO w/ 1-3/4 20-Spline Yoke	\$1,916.00
	Optional Equipment	
calper Option	s - Must Order Tool Bar Assembly and Head Assembly Group	
1282532	Scalper Tool Bar Assembly, Model 132 4-30" (Used with 24" Wheels)	\$2,716.00
1282352	Scalper Tool Bar Assembly, Model 132 (Used with 24" Rear Wheels)	\$2,716.00
1282269	Scalper Tool Bar Assembly, Model 144 (Used with 24" Rear Wheels)	\$2,733.00
1282271	Scalper Tool Bar Assembly, Model 180 (Used with 24" Rear Wheels)	\$3,250.00
1282559	Scalper Tool Bar Assemby, Model 194 8-24" (Used with 24" Wheels)	\$3,520.00
1282273	Head Assembly Group, Ground Driven Scalper (8-Row)	\$9,142.00
1282274	Head Assembly Group, Ground Driven Scalper (6-Row) Introduced Sept. 2003	\$6,854.00
1282277	Head Assembly Group, Hydraulic Scalper (8-row)	\$17,772.00
1282278	Head Assembly Group, Hydraulic Scalper (6-Row)	\$13,328.00
1282275	Knife Scalper Assembly Group (8-Row)	\$7,168.00
1282276	Knife Scalper Assembly Group (6-Row)	\$5,382.00
ther Options		
1281885	Rubber Flail Addition Kit for #2 & #3 Rotors (per Row/Rotor Add-on)	\$140.00
1281999	Hitch Extension Kit (RRV To Position Tongue Higher or Lower)	\$339.00
1282210	SMV Emblem Assembly	\$57.00

See Assembly Package Sheet SBD-06 for factory assembling options





# Parma Sugarbeet Defoliator - Triple Drum 200 Series

Effective:

September 1, 2024

#### **Standard Equipment**

- > Steel Cup Flails on Front Drums
- > Rubber Flails on 2nd and 3rd Drums
- ➤ Heavy Duty Gearbox and Drives
- ➤ All Banded V-Belt Drives
- > Steerable or Non-Steerable Wheel Struts
- > Tractor Requirements: 200HP Min. & 4 Remotes
- > Easy Height Adjustment
- ➤ Drawbar Adjustment 3 1/2 x 10 cylinder
- ➤ Convenient Parking Jack Stand
- > Removable Large Vinyl Top Cover
- Caution Light Kit
- > HMW Defoliator Liner Shield Over Steel

Order Number	Description Wt 13200	List Price
	Base Unit	
	Model 240 (8-30) Defoliator with "Cup" Flails & Solid Rotor Shafts	\$77,091.00
1282188	Model 264 (12-22) Defoliator with "Cup" Flails & Solid Rotor Shafts	\$80,658.00
1282172	Model 264 (12-22) Defoliator with "Cup" Flails & Replaceable Rotor Shafts	\$88,893.00
1282609	Model 264 (12-22) Defoliator Over Row "Cup" Flails & Solid Rotor Shafts	\$77,652.00
1282625	Model 288 (12-24) Defoliator with "Cup" Flails & Solid Rotor Shafts	\$87,864.00
Complet	ing Packages - Order one item from each section for a complete defoliator	
	Rear Wheel Strut Assemblies (Steerable are Return to Straight)	
1282187	24" Non-Steerable, 22" Rows (Height Adjustable, Two Struts)	\$8,340.00
1282484	24" Non-Steerable, 44" Wide Bottom (22" Rows) (Height Adjustable, Two Struts)	\$9,289.00
1282099	24" Steerable, 22" Rows (Height Adjustable, Two Struts)	\$14,754.00
	24" Steerable 8-30" (Height Adjustable, Two Struts)	\$15,236.00
	PTO Driveline Assembly	
1282946	Standard PTO w/ 1-3/4 20-Spline Yoke	\$1,316.00
1282344	Standard PTO w/ 1-3/8 21-Spline Yoke	\$1,400.00
1282510	CV PTO w/ 1-3/4 20-Spline Yoke	\$2,584.00
1282511	CV PTO w/ 1-3/8 21-Spline Yoke	\$2,600.00
Order	the Following Longer Drivelines when ordering the Heavy Duty Swing type Tongue.	
1991096	Standard PTO w/ 1-3/4 20-Spline Yoke	\$1,328.00
1268451	CV PTO w/ 1-3/4 20-Spline Yoke	\$2,612.00
	Optional Equipment	
alper Options	- Must Order Tool Bar Assembly and Head Assembly Group	
	Scalper Tool Bar Assembly For 24" Rear Wheels (8 Row 30")	\$4,913.00
1282176	Scalper Tool Bar Assembly For 24" Rear Wheels (12 Row 22")	\$5,116.00
	Scalper Tool Bar Assembly For 24" Wheels (12 Row 24")	\$5,356.00
1282273	Head Assembly Group, Ground Driven Scalper 8 Row	\$9,142.00
1282175	Head Assembly Group, Ground Driven Scalper 12 Row	\$13,713.00
1282136	Head Assembly Group, Hydraulic Scalper 12 Row	\$25,977.00
1282181	Knife Scalper Assembly Group 12 Row	\$10,702.00

See next page for other options.





Effective:

September 1, 2024

# Parma Sugarbeet Defoliator - Triple Drum

#### 200 Series

Ot	her	Options

1282479	Heavy Duty Swing Tongue (tongue cyl. not incl'd) Add-on	\$5,139.00
1267149	Tongue Cylinder Kit - Includes 3 1/2 x 8 Cyl., Hoses & Tips	\$773.00
1281864	Front Stabilizer Wheels - Adjustable with Screw Jack	\$2,950.00
	(Must be used in conjunction with front lift cylinder)	
1281709	Front Stabilizer Wheels w/ Hydraulic Cylinder	\$3,771.00
	(Must be used in conjunction with Scalper Hydraulic Lift.)	
1282485	Extra Rubber Flail Kit #2 Rotor (2nd Drum same as 3rd) (per Row/Rotor Add-on)	\$68.00
1281999	Hitch Extension Kit (RRV to Position Tongue Higher or Lower)	\$339.00
1282210	SMV Emblem Assembly	\$57.00
282514	Center Strut, 24" non STR on 44" spacing	\$6,363.00
	(Includes wheels, tires, hubs and spindles)	

See Assembly Package Sheet SBD-06 for factory assembling options



### Parma Sugarbeet Defoliator

Effective:

September 1, 2024

#### **Assembly Packages - All Defoliators**

These prices are the charges for assembly by Parma Company of options and attachments. The dealer service department is responsible for pre-delivery and field adjustments.

Order Number	Description	List Price
Scalper Assembly	ly	
1281643	Mounted on Defoliator (Knife Scalper and Unpowered Disk) - per Row	\$128.00
1281644	Mounted on Defoliator (Hydraulic Scalper) - per Row	\$251.00
Hydraulic Hose P	'ackages	
•	One 1/2 " Hose from Implement to Tractor with Ends, and one 8010-4 Pioneer C	oupler.
•		Coupler. \$146.00
- Includes	One 1/2 " Hose from Implement to Tractor with Ends, and one 8010-4 Pioneer C	

- Order 4 each when ordering a standard defoliator
- Order 8 each when ordering a defoliator with a 2-way Return to Straight option

## **Shipping Dimensions**

Front to Rear w/Tongue and Scalper Removed 15' 2" w/Tongue Removed and Scalper Mounted 19' 3"

Front to Rear w/Tongue & Struts Removed (Frame Only) 11' 10" Overall Length w/Tongue Removed Scalper Mounted 23' 3"

#### Side to Side

Model 132	13' 2"	7100#
Model 144	14' 2"	8360#
Model 180	17' 2"	9100#
	•••=	
Model 264	24'	13200#

Weight of the Model 264 with 24" Steerable Struts and Ground Driven Scalpers = 13,200 lbs.



# **Flail Cluster Information**

Effective

September 1, 2024

422 M	ledel Defeliates	September 1, 2024
	lodel Defoliator	
Order No.	Description	Quantity
281789	Front Steel Cup Rotor Asm (	Full Coverage)
282199	7-1/2 Steel Cup Flails - 5/16"	67
281785	Bushing, Hardened - 10-3/4"	34
281788	Long Pipe Spacer - 3-5/16"	57
281977	Short Pipe Spacer - 1-11/16"	22
281786	5/8x13 Hex Bolt w/Locknut	34
281722	8" Half Clamp	24
281966	Rotor Weldment	1
281581	Center Rubber Cluster	
280520	Rubber Flail	12
990588	2: Spacer	12
281558	Flail Pin	4
281477	6" Half Clamp	4
281885	(Optional) Flail Addition Kit Center F	Rubber
281520	Rubber Flail	8
281560	Extended Flail Pin	2
282641	Rear Rubber Cluster	
281520	Rubber Flail	22
281558	Flail Pin	4
281477	6" Half Clamp	4
281574	1" Spacer	4
281885	(Optional) Flail Addition Kit Rear Ru	bber
281520	Flail Pin	8
281560	Extended Flail Pin	2
281963	Front L Knife Rotor Asm (Ful	
281569	L-Knife Flail	72
	5/8x3-1/2 Gr8 Hex Bolt w/Locknut	36
281965	Rotor Weldment	1
281581	1581 Center Rubber Cluster (Same As Above)	
281885	(Optional) Flail Addition Kit Center Rubber (S	Same As Above)
282641	Rear Rubber Cluster (Same As A	Above)
281885	(Optional) Flail Addition Kit Rear Rubber (Sa	me As Above)
	,	•



# Flail Cluster Information

Effective: September 1, 2024

i lali Cius	ster innormation	September 1, 2024
144 N	lodel Defoliator	
Order No.	Description	Quantity
Fron	t Steel Cup Rotor Asm (Full Coverage)	
282199	7-1/2 Steel Cup Flails - 5/16"	96
281785	Bushing, Hardened - 10-3/4"	24
282083	Pipe Spacer - 5/8"	96
281786	5/8 x 13 Hex Bolt w/Locknut	24
281722	8" Half Clamp	26
281958	One Piece Front Rotor Drum	1
	nt L Knife Rotor Asm (Full Coverage)	_
281569	L-Knife Flail	84
	5/8 x 3-1/2 Gr8 Hex Bolt w/Locknut	42
281965	One Piece Front Rotor Drum	1
180 N	lodel Defoliator	
Order No.	Description	Quantity
	t Steel Cup Rotor Asm (Full Coverage)	
282199	7-1/2 Steel Cup Flails - 5/16"	120
281785	Bushing, Hardened - 10-3/4"	28
282084	Bushing, Hardened - 5-3/8"	4
281786	5/8 x 13 Hex Bolt w/Locknut	28
282085	5/8 x 7-1/2 Hex Bolt w/Locknut	4
282086	5/8 x 12-1/4 Hex Bolt w/Locknut	4
281722	8" Half Clamp	36
281873 Driver, 281872 Drive	en 8" Rotor Assembly (Split)	1ea.
281581	Center Rubber Cluster	
280520	Rubber Flail	12
990588	2" Spacer	12
281558	Flail Pin	4
281477	6" Half Clamp	4
281885	(Optional) Flail Addition Kit Center R	
281520	Rubber Flail	8
281560	Extended Flail Pin	2
282641	Rear Rubber Cluster	
281520	Rubber Flail	22
281558	Flail Pin	4
281477	6" Half Clamp	4
281574	1" Spacer	4
281885	(Optional) Flail Addition Kit Rear Rub	bber (Same as Center)
	L Knife Rotor Asm (Full Coverag	e)
281569	L-Knife Flail	96
	5/8 x 3-1/2 Gr8 Hex Bolt w/Locknut	48
004045 Daliusa 004040 Dalius	en Rotor Assembly (Split)	1ea.
281945 Driver, 281946 Drive	Treter / telestriety (epitt)	



# Flail Cluster Information

Effective: September 1, 2024

264 Mode	l Defoliator		
Order No.	Description	Quantity	
Front Steel	Cup Rotor Asm (Full Coverage)		
282199	7-1/2 Steel Cup Flails - 5/16"	184	
281785	Bushing, Hardened - 10-3/4"	44	
282084	Bushing, Hardened - 5-3/8"	4	
282083	Pipe Spacer - 5/8"	184	
281786	5/8 x 13 Hex Bolt w/Locknut	44	
282085	5/8 x 7-1/2 Hex Bolt w/Locknut	4	
282086	5/8 x 12-1/4 Hex Bolt w/Locknut	4	
281722	8" Half Clamp	52	
281738 Driver, 281743 Driven	8" Rotor Assembly (Split)	1ea.	
281581	Center Rubber Cluster		
280520	Rubber Flail	12	
990588	2" Spacer	12	
281558	Flail Pin	4	
281477	6" Half Clamp	4	
281885	(Optional) Flail Addition Kit Center Ru	bber	
281520	Flail Pin	8	
281560	Extended Flail Pin	2	
282641	282641 Rear Rubber Cluster		
281520	Rubber Flail	22	
281558	Flail Pin	4	
281477	6" Half Clamp	4	
281574	1" Spacer	4	
281885			
	L Knife Rotor Asm (Full Coverage	)	
281569	L-Knife Flail	144	
	5/8 x 3-1/2 Gr8 Hex Bolt w/Locknut	72	
281860 Driver, 281859 Driven	Rotor Assembly (Split)	1ea.	
281581	Center Rubber Cluster (Same As A	lbove)	
281885	(Optional) Flail Addition Kit Center Rubber (San	ne As Above)	
282641	Rear Rubber Cluster (Same As Abo	ove)	
281885			



Effective: September 1, 2024

### 144" Defoliator w/24" Tires & G.D. Scalpers

Weight	8360#
Overall width at guards:	14'2"
Frame depth front to rear:	11'7"
Frame depth to rear of 24" tires:	15'2"
Frame depth to rear of G.D. Scalpers up:	16'8"
Tongue:	4'4"

### 264" Defoliator w/24" Tires & G.D. Scalpers

Weight	13200#
Overall width at guards:	24'6"
Frame depth front to rear:	11'7"
Frame depth to rear of 24" tires:	15'2"
Frame depth to rear of G.D. Scalpers up:	16'8"

This page blank intentionally